WORLD-LIFT
WFE100-130

WORLDWIDE FORKLIFTS
Sales · Parts
Rentals · Service

WFE100-130

10,000 lb - 13,200 lb
Electric - Pneumatic Tire

FAMILY OWNED SINCE 1975

WFE100-130

FEATURES & BENEFITS

- Electric 80V 600 AH
- Spacious work place: Ample leg room helps to provide a relaxed working environment keeping the operator focused throughout the working day for maximum productivity.

- Right side Hydraulic operation handle and emergency power-off button.

- High visibility design mast with side thrust rollers in the carriage for smoother operation and longer life of the mast components.
- Fully Hydrostatic Power Steering for smoother operation and many fewer parts for lower maintenance costs. This utilizes the largest cylinder and thickest steel for protection of any forklift in its class!
- Large hydraulically actuated Drum & Shoe type brakes for positive braking performance and ease of maintenance. Mechanical lever type parking brake for reliability.
- Control Handles are mounted on the dash for operator convenience and also allows the operator to enter/exit the operator compartment from either side of the machine comfortably

- Tilt Steering Wheel
- Adjustable Seat
- Seat Belt
- Dual Head Lights
- Front Turn Signals
- Rear Turn Signals
- Brake Lights
- Back-up Lights
- Back-up Alarm
- Neutral Safety Switch
- Welded Overhead Guard
- Waterproof LCD Instrument
- Integral Hydraulic Tank

- Side Mounted Motor Pump
- Low non-slip pedal
- Insulated battery cover
- Hand hold for entry
- Hood cover 90 Deg. Open
- Third valve & lever
- Horn
- Hour Meter
- Charge warning light
- Temperature warning light
- Hyd pressure gauge
- Key switch
- Safety load backrest

- ITA Class IV forks & carriage
- Easy access floor boards
- Rubber safety mat
- Meet or exceed all ANSI B56.1
- Safety standards for powered industrial trucks and underwriters laboratories requirements as to fire hazard. EPA Compliant

FEATURES & BENEFITS

MODEL		WFE 100	WFE 110	WFE 130	Notes
Capacity	Lbs	10,000	11,000	13,200	
Load Center	Inch	24	24	24	
Power		Electric-AC	Electric-AC	Electric -AC	
Tires Solid Pneumatic		2.8X12.5-15-24Pr	Same	Same	
Drive Motor		9.1 X 2	9.1 X 2	9.1 X 2	
Fork Size	Inch	42	42	42	
Length		119.3	119.3	119.3	Add fork length
Mast Tilt Fwd/Back	Deg.	6 / 9	6 / 9	6 / 9	
Total Width	Inch	63	63	63	
Mast Height Lowered	Inch	92	92	92	Std 2 stage mast
Guard Height	Inch	89	89	89	
Min Turn Radius Outside	Inch	108.5	108.5	108.5	
Max Height	Inch	118	118	118	With LBR 166
Min Intersecting Aisle	Inch	116.4	116.4	116.4	
Ground Clearance	Inch	6.3	6.3	6.3	Bottom of Mast
Service Weight	Lb	16,535	17,196	18,078	Includes battery
Wheel Base	Inch	78.7	78.7	78.7	
Travel Speed	MPH	8.7	8.7	8.7	No Load
Lifting Speed Per Sec	Inch	9.8	9.8	9.8	Full Load
Brakes	Type	Hand/Foot	Hand/ Foot	Hand/Foot	
Fork Spread Min/Max	Inch	12/54	12/54	12/54	
Max Gradeability	Deg	15	15	15	

Standard Equipment

- Two Stage Mast
- Pneumatic Tires
- Curtis Controls
- Tier IV
- Drive Motor
- Headlights
- Back Up Lights
- Turn Signals
- Hydro Steer Axle
- Mirrors
- Load Backrest
- Seat Belt
- Tilt Steer Wheel
- 3rd Valve
- Operator Manual
- Standard Forks

Optional Equipment

- Various Masts
- Standard
- Full Free Lift Triplex
- Various Tire Options
- Solid
- Non Marking
- Treaded
- Side Shifter
- Fork Positioner
- 4 Way Hydraulics
- Much More!

WORLDWIDE FORKLIFTS Sales · Parts Rentals · Service

MOVING STUFF, SINCE 1945

954-768-9875

worldwideforklift.com

WORLDWIDE FORKLIFTS
Sales · Parts
Rentals · Service

THE PREMIER GLOBAL FORKLIFT MANUFACTURER SINCE 1975

954-768-9875 Fax: 954-759-9187
268 SW 32 Ct. Fort Lauderdale, FL 33315
www.worldwide forklift.com

Authorized Dealer
XL Lifts
www.xlliftsinc.com
(805) 889-8487